



SUB-ZERO

Built-in Home Refrigeration
Designed for Beauty
and Performance

SUB-ZERO

The first choice in Kitchens of distinction

In remodeling and new construction, the look of distinction in kitchens begins with the beauty of built-in appliances and built-in refrigeration by Sub-Zero. That's why leading custom kitchen designers choose Sub-Zero first. Classic in styling and unequalled for storage, convenience and quality, Sub-Zero true built-ins are the ultimate in elegant home refrigeration.

Enjoy the elegance of Built-in refrigeration

Sub-Zero home refrigeration is designed to enhance the beauty of any decor by blending compatibly with other kitchen furnishings. This is possible because of its simple design...removable decorative panels and the fact it is the same 24" depth as most base kitchen cabinets. A Sub-Zero is designed with a minimum of external hardware, making it hardly noticeable when built into a kitchen. It also has an exclusive toe-base feature, important in kitchen appliances, which lines up with kitchen cabinets.

All units are constructed with the 24" depth which enables the face to fit flush with most standard base cabinets. A typical free-standing refrigerator protrudes into the room 4 to 6 inches beyond cabinets, creating an unsightly appearance and takes up valuable space in the room.

Sub-Zero built-ins are designed to accept removable exterior panels of any material on the front and sides. In doing so, the unit practically disappears into the overall kitchen, blending completely into the decor instead of dominating the kitchen appearance, as a free-standing unit does. And, because the panels are removable, they can be changed, should the room decor change.

These true built-in features mean your home refrigeration need not be an unattractive standout but can now complement the over-all style of the kitchen and function as an integral part of the total kitchen design. They allow individual styling and expression of your personal taste.

Built-in work savers

Truly an accent to the kitchen of distinction, Sub-Zero built-in refrigeration offers all of the time and work saving features that today's lifestyles require...like convenient usable storage, easy up-keep, simplified cleaning, automatic defrosting and automatic ice maker.

The shallow depth makes it easier to find what you are looking for, eliminating the need to search for items that have found their way to the back shelf area (as in other refrigerators). This, along with the fact that all shelves are fully adjustable, gives even greater flexibility for storage arrangements.

Easy up-keep is achieved because of the quality materials and craftsmanship used in the construction of a Sub-Zero...interior, exterior and mechanical.

Cleaning is simplified because of two reasons: First the unit's built-in feature eliminates cracks and crevices that would normally collect dust and also eliminates the chore of pulling the refrigerator out to clean behind it.

Secondly, all shelves in Sub-Zero full-size units are removable to allow for ease of cleaning.

The automatic defrost feature is standard on all full-size models as well as the undercounter models (except



Model 251

249R). This eliminates the need to shut down the refrigerator to defrost and clean the unit.

Another standard feature of the full-size units is the automatic ice maker which produces an adequate supply of ice automatically without the need to handle awkward ice trays.

Many models to choose from

Whatever your space or usage requirements, Sub-Zero offers a selection of over 16 models to fit your needs and specifications. Choose from the popular side-by-side, the over-n-under (freezer on the bottom), the all-freezer and all-refrigerator units, compact undercounter refrigerators and ice makers. Ranging in width from 12" to 48", Sub-Zero units offer capacities to 30.0 cubic feet.

The combination all-refrigerator and all-freezer together provide as much as 40.0 cubic feet of food storage.

New twelve-year maximum protection

Sub-Zero has always backed what it has manufactured, and now offers even more protection with its new twelve-year "Protection Plan". From the day your Sub-Zero is installed, you have a full five-year (parts and labor) warranty and limited sixth through twelfth-year (parts) warranty on the sealed system, consisting of the compressor, condenser, evaporator, drier and all connecting tubing. You also have a full three-year (parts and labor) warranty on mechanical parts (i.e., timer, motor, control, icemaker) defective because of materials or workmanship, and a full one-year (parts and labor) warranty on the entire product. (See warranty for exceptions.) Sub-Zero stands behind every refrigerator and freezer they manufacture, ensuring you of the finest in service and trouble-free maintenance.

Outstanding performance and craftsmanship

Sub-Zero is a leader in the industry in engineering functional refrigeration. Because Sub-Zero full-size units use a refrigerant in both the refrigerator and freezer compartments, proper and even temperatures are maintained more consistently throughout. This is the same type system used in some commercial refrigerators and is a standard feature in Sub-Zero home units, to insure top performance and operation. Complete factory testing of every Sub-Zero unit is your assurance of quality workmanship.

More than just refrigeration, Sub-Zero quality craftsmanship is a tradition, custom designed to enhance the value and elegance of your home for years to come.



(Traditional handle shown) Model 251



Model 251 Interior

SUB-ZERO Over-n-under 200 SERIES

Models 251, 211 and 241*

For those who prefer, Sub-Zero offers a convenient arrangement with freezer on the bottom. This design was prompted by the fact that the refrigerator section is used more often than the freezer, thereby providing the greatest convenience and best accessibility. The refrigerated top half offers full width storage on adjustable shelves while frozen foods below are easily accessible with a pull-out basket.

These over-n-under units are available in 30" and 36" widths with depths of 24" to fit flush with your kitchen cabinets. The model 251 (22 cubic feet) with its smaller freezer, makes it ideal for homes that have additional bulk freezer storage.

Model 241 (22 cubic feet) offers a larger freezer section,


combined with a large capacity refrigerator section on top.

For those kitchen designs requiring a smaller refrigerator, our model 211 (18 cubic feet) is a perfect fit. Its over-n-under refrigerator and freezer provide ample capacity in only a 30" width.

Models 211, 251 and 241 have a balanced system—one control raises or lowers temperatures in freezer and refrigerator simultaneously.

These true built-in 200 series over-n-under units have all the standard Sub-Zero features—listed in pages 8-9.

*These models are not available in California or Massachusetts.



Model 251


COMBINATION REFRIGERATOR-FREEZER
Model 251
 Automatic defrost models. Freezer compartment equipped with automatic ice maker.

Capacity: 16.3 cu. ft. Refrigerator
 5.7 cu. ft. Freezer

Dimensions: Height 84"
 Width 36"
 Depth 24"

Finished Rough-In Dimensions
 35 1/2" x 83 3/4"

Weight (lbs.): 426 crated



One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.



Minimum height required (when levelers in) is 82 7/8"

Refer to "Installation Instruction" booklet for detailed installation and panel requirements.



Model 211

Model 241




One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.

Minimum height required (when levelers in) is 82 7/8"


Refer to "Installation Instruction" booklet for detailed installation and panel requirements.

COMBINATION REFRIGERATOR-FREEZER
Model 211 — Automatic defrost model.
 Freezer compartment equipped with automatic ice maker.

Capacity:	11.4 cu. ft. Refrigerator 6.6 cu. ft. Freezer
Dimensions:	Height 84" Width 30" Depth 24"
Finished Rough-In Dimensions	29 1/2" x 83 3/4"
Weight (lbs.):	375 crated



Model 211



One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.

Minimum height required (when levelers in) is 82 7/8"

Refer to "Installation Instruction" booklet for detailed installation and panel requirements.

COMBINATION REFRIGERATOR-FREEZER
Model 241 — Automatic defrost models.
 Freezer compartment equipped with automatic ice maker.

Capacity:	13.7 cu. ft. Refrigerator 8.5 cu. ft. Freezer
Dimensions:	Height 84" Width 36" Depth 24"
Finished Rough-In Dimensions	35 1/2" x 83 3/4"
Weight (lbs.):	420 crated



Model 241

SUB-ZERO

Side-by-Side Model 361*

For those who prefer, the Sub-Zero side-by-side line offers an excellent example of classic styling and simplicity of design. Many people prefer the full top-to-bottom storage in both the freezer and refrigerator. Frozen foods and ice storage are within easy reach and a convenient slide-out basket is located at the bottom of the freezer compartment.


The Sub-Zero model 361, in a width of 36", provides 21.1 cu. ft. of refrigerator and freezer storage. This unit is 24" deep, allowing for true built-in elegance, and the shallow shelf depth provides easier food accessibility.

Adjustable shelves in both the doors and freezer and refrigerator compartments accommodate a large variety of foods, with plenty of room for large items.

*This model not available in California or Massachusetts.



Model 361



Model 361


COMBINATION REFRIGERATOR-FREEZER Model 361 — Automatic defrost model. Freezer compartment equipped with automatic ice maker.

Capacity: 12.1 cu. ft. Refrigerator
9.0 cu. ft. Freezer

Dimensions: Height 84"
Width 36"
Depth 24"

Finished
Rough-In
Dimensions 35 1/2" x 83 3/4"

Weight (lbs.): 450 crated



One 115 volt, 60 cycle,
single phase 15 amp.
A.C. wall outlet must be
provided.

Minimum height
required (when
levelers in) is 82 7/8"

Refer to "Installation
Instruction"
booklet for
detailed installation
and panel
requirements.


The following features apply to Sub-Zero 200 and 300 series models. Specification sheets describing 500 series features are available upon request.

SUB-ZERO

Features of full-size 200 and 300 series built-in units

1. Convenient Storage—All Sub-Zero units are 24" in depth to conform to most kitchen base cabinet units. This not only improves appearance of finished installation but provides more accessible storage on interior shelves.

2. Sub-Zero Protection Plan—Full five-year (parts and labor) warranty and limited sixth through twelfth-year (parts) warranty on the sealed system, consisting of the compressor, condenser, evaporator, drier and all connecting tubing; a full three-year (parts and labor) warranty on mechanical parts (i.e., timer, motor, controls, icemaker) defective because of materials or workmanship; and a full one-year (parts and labor) warranty on the entire product from the date of installation. (Does not include installation.) (See warranty for other exceptions.)




3. Automatic Defrosting—Automatically eliminates frost accumulation in both refrigerator and freezer sections.

4. Automatic Ice Maker—Makes and stores crescent-shaped ice pieces. Although several conditions affect the amount of ice that is produced in a given period of time, an adequate supply is provided.


Features cont'd.

5. Accepts Removable Decorative Door Panels—Front panels of any material, not exceeding 1/4" in thickness, are easily installed. **Raised panels may also be used when perimeter edge does not exceed 1/4" (routing or recessing is recommended for finger clearance).** Refer to Installation Instruction Guide for detailed information. Only colored and stainless steel panels are available from the factory. (50# per door panel weight limit.)



NOTE—Wire interior shelving can be adjusted to accommodate large platters.

8. Removable and Adjustable Shelves—Throughout entire unit, including door shelves. Easily removed for cleaning; provide convenient and flexible storage for all size bottles and food.



9. Deluxe Crispers—Spacious and convenient, easy-glide crispers are furnished in all refrigerators with nylon roller design, providing ease of movement and self-sealing gaskets to assure food freshness.

10. Portable Egg containers—Two provided with every full-size refrigerator, each holding eight eggs. They may be stacked or used separately for space-saving convenience and may be carried to the table or preparation area.

11. Magnetic Door Gasket—Surrounds entire door with a pull that assures a positive seal.

NOTE—Because of a perfect seal, allow a slight delay before reopening door.

12. Right or Left Door Swing—Available, when specified, on all over-n-under and single door units (all side-by-side units are hinged on outside). **Doors are not reversible.**

13. Pull-Out Basket—Metal storage basket at bottom of all freezers.

14. Butter and Utility Compartments—Conveniently located in refrigerator door.

15. Interiors—Refrigerator interior is a beautiful champagne gold and wood grain color scheme—chip resistant baked enamel on aluminum surface. Freezer interior is specially treated steel with attractive, easy-to-keep-clean baked-on-enamel.

16. Toe Space Base—Integral part of cabinet. Inset is 4" high by 3" deep—meeting specifications of American Institute of Architects and conforming with most bases of kitchen cabinets.

17. Door Handles—Standard as shown in photographs throughout this literature. Traditional-style handles available in black, white or unfinished. (Traditional-style cannot be installed on side-by-side models or 500 series.)

18. Door Closers—All models equipped with door closers. (Except models 241, 251, and 211 refrigerator doors.)

6. Half or Full Length Side Panels—Unit is made to accept side panels if sides are exposed.

Only colored and stainless steel panels are available from the factory.

7. All Models are Front-Vented—Allows for true built-in installation.



In the installation pictured above, a 2" filler was not used because the refrigerator door opens into a doorway.

Model 211

19. Colored Panels—Decorator front and side steel panels are available from Sub-Zero in the following colors: Harvest Gold, Almond, Avocado, Coffee, Stainless Steel, and White.

20. Grilles—Available standard grille sizes range from 10" to 15" in 1" increments.

21. Door Stops—Although most installations do not require a door stop, a kit is available if needed. The Door Stop allows the door to open either to 90° or 110°, whichever is needed.

22. Additional Shelves—Available at additional cost.

IMPORTANT: For proper operation and use, the door must open a full 90°. A minimum 2" filler should be used in corner installations to assure a 90° door opening. Remember to allow enough clearance in front of unit for full door swing.



DECORATOR TRADITIONAL HANDLES

Traditional wood handles for all full-size 200 series models are available in factory-finished white, black or unfinished in cherry, oak or walnut so they may be finished to match your decor. Just another of the little but important things that give Sub-Zero that personalized and elegant advantage over other refrigeration.

Undercounter models

Sub-Zero undercounter refrigerators, freezers, combinations and ice makers are ideal for the bar, den, family room, yacht or office. They are designed to be installed under a counter. However, some may also be used as free-standing units.

All under-counter models are self-venting, have foamed-in-place insulation, have durable ABS easy to clean interiors and accept front door panels of practically any material to harmonize with cabinets or other equipment. They also have right to left door swings which are interchangeable in the field (kit required except model 245). All of these features and more are backed by Sub-Zero's New 12-Year Protection Plan—Providing a full five-year (parts and labor) warranty and limited sixth through twelfth year (parts) warranty on the sealed system, consisting of the compressor, condenser, evaporator, drier and all connecting tubing; a full three-year (parts and labor) warranty on mechanical parts (i.e., timer, motor, controls, icemaker) defective because of materials or workmanship; and a full one-year (parts and labor) warranty on the entire product from the date of installation. (Does not include installation.) (See warranty for other exceptions.)

The Sub-Zero combination models 245 and 801 provide automatic defrost, refrigerator storage, freezer storage and automatic ice making.

Sub-Zero also offers "all-refrigerator" and "all-freezer" undercounter units. The model 249RP "all-refrigerator" features automatic defrost, door storage and adjustable compartment shelving. Our model 249FF "all-freezer" features automatic defrost, adjustable compartment shelving and can be equipped with an automatic ice maker.

A unit for those who desire primarily refrigerator storage with some freezer storage is the model 249R. This unit is a manual defrost, with a small full-width freezer, door storage and adjustable compartment shelving.



We also offer built-in ice makers for those who entertain in style. For those cases where a smaller unit is desired or use of a drain is prohibitive, the model 221M "slimline automatic ice maker" is available. This unit is only 12" wide, has "easy-tilt" door and automatic shut-off so it makes ice only as you use it. A true built-in, it has front-venting, requires no drain, is 24" in depth and accepts front panels to complement virtually any decor. Requirements for clear ice can be satisfied with the new model 506, which provides an abundance of crystal-clear cubes in a unit that requires only an 18" width. Featuring a drop-down hopper-type door, this unit stores up to 35 pounds of 3/4" cubes. *This unit requires a drain or pump.*

Separate specification sheet on each undercounter model is available upon request.

Undercounter Model	249R	249RP	249FF	245	506	221M	801
Capacity	4.9 cu. ft. Refrigerator .7 cu. ft. Freezer	5.60 cu. ft. Refrigerator	5.0 cu. ft. Freezer	3.2 cu. ft. Refrigerator 1.8 cu. ft. Freezer	Stores 35 lbs. of ice	Stores 600 pieces of ice	3.0 cu. ft. Refrigerator 3.0 cu. ft. Freezer
Unit Dimensions [Levelers in] (H x W x D in inches)	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	34 x 23 ⁷ / ₈ x 24	34 ¹³ / ₃₂ x 17 ⁷ / ₈ x 23 ⁷ / ₈	33 ¹ / ₂ x 12 x 24	33 ³ / ₈ x 36 x 23 ⁷ / ₈
Weight (lbs.)	120 crated	117 crated	135 crated	139 crated	110 crated	122 crated	265 crated

Note: Refer to "Installation Instruction" booklet for detailed water, electrical and other installation requirements.



Model 249R



Model 249RP




Model 249FF
(ICEMAKER OPTIONAL)



Model 245



Model 506



Model 801




Model 221M
(caution, this unit must be built-in)

SUB-ZERO


Installation specifications

Following are the installation specifications for all Sub-Zero full-size and undercounter models. The dimensions shown in the chart correlate with the schematic drawings. For further details refer to the **Installation Instruction Booklet**.

Schematic drawing




Door Clearance Schematic Drawing Top View



Wood grille not available from Sub Zero.

Model No.	Finished Rough Opening Dimensions		Recommended Electrical Outlet Location		Water Supply Location	Door Panel Dimensions (width x height)	Minimum Door Clearance Requirement at 90°
	A	B	C	D			
211	29 1/2"	83 3/4"	15"	79"	15"	28 1/8" x 41 7/16" & 28 1/8" x 25 3/8"	30 1/8"
241	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 41 7/16" & 34 1/8" x 25 3/8"	36 1/16"
361	35 1/2"	83 3/4"	18"	79"	18"	14 5/8" x 67 1/16" & 19 1/8" x 67 1/16"	20 3/4"
251	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 48 7/16" & 34 1/8" x 18 3/8"	36 1/16"
550	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 48 7/16" & 34 1/8" x 18 3/8"	36 1/16"
511	29 1/2"	83 3/4"	15"	79"	15"	28 1/8" x 48 7/16" & 28 1/8" x 18 3/8"	30 1/8"
561	35 1/2"	83 3/4"	18"	79"	18"	14 5/8" x 67 1/16" & 19 1/8" x 67 1/16"	20 3/4"
532	47 1/2"	83 3/4"	18"	79"	18"	17 15/16" x 67 1/16" & 27 1/16" x 67 1/16"	29 1/4"
501R	35 1/2"	72 3/4"	18"	7"		34 1/8" x 58 15/16"	36 1/16"
501F	35 1/2"	72 3/4"	18"	7"	18"	34 1/8" x 58 15/16"	36 1/16"
801	35 1/2"	34 1/2"	18"	3 1/2"	18"	16 7/8" x 22 7/8" (both)	18 1/2"
245	24"	34 1/2"	5 1/2"	4 1/2"	12"	23 1/2" x 28 1/8"	25 13/16"
249R	24"	34 1/2"	12"	14"		23 5/8" x 30"	25 3/8"
249RP	24"	34 1/2"	12"	14"		23 5/8" x 30"	25 3/8"
249FF	24"	34 1/2"	5"	14"	18"	23 5/8" x 30"	25 3/8"
22IM	12"	34 1/2"	6"	6"	6"	11 9/16" x 30"	27 13/16"
506	18"	34 1/2"	6"	6"	11"	17" x 13 3/16" & 17" x 11 5/16"	11 3/4"

*NOTE: Water line may come directly thru wall, not higher than 3" from floor.



How to buy

Sub-Zero home refrigeration can be seen and purchased at top custom kitchen dealers and appliance stores in all major cities across the United States and many Canadian cities. If not available in your area, feel free to contact Sub-Zero direct for the dealer nearest you. (Wisconsin, Canada residents use 608-271-2233/other U.S. residents 800-222-7820.)

Service

There are hundreds of authorized service centers throughout the country to provide warranty service and perform other service functions. These centers maintain a stock of genuine Sub-Zero parts and a staff of qualified repair technicians. The service center nearest you may be found in the yellow pages or by contacting the dealer you purchased the unit from. If service cannot be found, contact Sub-Zero direct: Wisconsin, Canada residents 608-271-2233/other U.S. residents 800-356-5826.



SUB-ZERO FREEZER CO., INC.

Post Office Box 4130
 Madison, Wisconsin 53711
 608/271-2233





SUB-ZERO

Models 201R & 201FD

Built-in Home Refrigeration
Designed for Beauty
and Performance

SUB-ZERO

The first choice in Kitchens of distinction

In remodeling and new construction, the look of distinction in kitchens begins with the beauty of built-in appliances and built-in refrigeration by Sub-Zero. That's why leading custom kitchen designers choose Sub-Zero first. Classic in styling and unequalled for storage, convenience and quality, Sub-Zero true built-ins are the ultimate in elegant home refrigeration.

Enjoy the elegance of Built-in refrigeration

Sub-Zero home refrigeration is designed to enhance the beauty of any decor by blending compatibly with other kitchen furnishings. This is possible because of its simple design...removable decorative panels and the fact it is the same 24" depth as base kitchen cabinets. A Sub-Zero is designed with a minimum of external hardware, making it hardly noticeable when built into a kitchen. It also has an exclusive toe-base feature, important in kitchen appliances, which lines up with kitchen cabinets.

All units are constructed with the 24" depth which enables the face to fit flush with standard base cabinets. A typical free-standing refrigerator protrudes into the room 4 to 6 inches beyond cabinets, creating an unsightly appearance and takes up valuable space in the room.

Sub-Zero built-ins are designed to accept removable exterior panels of any material on the front and sides. In doing so, the unit practically disappears into the overall kitchen, blending completely into the decor instead of dominating the kitchen appearance, as a free-standing unit does. And, because the panels are removable, they can be changed, should the room decor change.

These true built-in features mean your home refrigeration need not be an unattractive standout but can now complement the over-all style of the kitchen and function as an integral part of the total kitchen design. They allow individual styling and expression of your personal taste.

Built-in work savers

Truly an accent to the kitchen of distinction, Sub-Zero built-in refrigeration offers all of the time and work saving features that today's lifestyles require...like convenient usable storage, easy up-keep, simplified cleaning, automatic defrosting and automatic ice maker.

The shallow depth makes it easier to find what you are looking for, eliminating the need to search for items that have found their way to the back shelf area (as in other refrigerators). This, along with the fact that all shelves are fully adjustable, gives even greater flexibility for storage arrangements.

Easy up-keep is achieved because of the quality materials and craftsmanship used in the construction of a Sub-Zero...interior, exterior and mechanical.

Cleaning is simplified because of two reasons: First the unit's built-in feature eliminates cracks and crevices that would normally collect dust and also eliminates the chore of pulling the refrigerator out to clean behind it.

Secondly, all shelves in Sub-Zero full-size units are removable to allow for ease of cleaning.

The automatic defrost feature is standard on all full-size models as well as the undercounter models (except



Model 251

249R). This eliminates the need to shut down the refrigerator to defrost and clean the unit.

Another standard feature of the full-size units is the automatic ice maker which produces an adequate supply of ice automatically without the need to handle awkward ice trays.

Many models to choose from

Whatever your space or usage requirements, Sub-Zero offers a selection of over 17 models to fit your needs and specifications. Choose from the popular side-by-side, the over-n-under (freezer on the bottom), the all-freezer and all-refrigerator units, compact undercounter refrigerators and ice makers. Ranging in width from 12" to 48", Sub-Zero units offer capacities to 30.5 cubic feet. The combination all-refrigerator and all-freezer together provide as much as 41.0 cubic feet of food storage.

Sub-Zero warranty offers maximum protection

From the day your Sub-Zero unit is installed, you are protected by a five-year warranty covering all parts and all labor on the sealed system and a one-year all parts and all labor warranty on the entire refrigerator. And, because a Sub-Zero system is accessible from the front of the unit, it is not normally necessary to remove the unit from its installation, should service be required. Sub-Zero stands behind every refrigerator and freezer manufactured, insuring you the finest in service and trouble-free maintenance.

Outstanding performance and craftsmanship

Sub-Zero is a leader in the industry in engineering functional refrigeration. Because Sub-Zero full-size units use a refrigerant in both the refrigerator and freezer compartments, proper and even temperatures are maintained more consistently throughout. This is the same type system used in some commercial refrigerators and is a standard feature in Sub-Zero home units, to insure top performance and operation. Other outstanding manufacturing features are foamed-in-place polyurethane insulation in the entire unit, including doors, an automatic defrost system and magnetically sealed doors. Complete factory testing of every Sub-Zero unit is your assurance of quality workmanship.

More than just refrigeration, Sub-Zero quality craftsmanship is a tradition, custom designed to enhance the value and elegance of your home for years to come.




Models 201R & 201FD



Models 201R & 201FD

Maximum storage with Models 201R and 201FD

For large families or those people who need maximum storage, Sub-Zero offers the convenience of its separate all-refrigerator (Model 201R) and all-freezer (Model 201FD) with a total storage capacity of 41 cubic feet. The "all-refrigerator's" 20 cubic foot capacity makes this exclusive unit the largest built-in all-refrigerator on the market. One of the advantages of these units is the flexibility of planning your kitchen. The units can be installed side-by-side or with a convenient counter between them or at opposite ends of the room, depending on your kitchen layout. Adjustable shelving in both the refrigerator and freezer gives even more storage versatility. The 201FD has an automatic ice maker. The "all-refrigerator" Model 201R is also ideal for people who have existing freezer storage. The model 201R is available with ice maker (model 2011 ICE). These built-ins incorporate all the Sub-Zero features—see pages 8–9.



201FD


201R

ALL FREEZER
Model 201FD (left) — Automatic defrost. Freezer is equipped with automatic ice maker.

ALL REFRIGERATOR
Model 201R (right) — Automatic defrost refrigerator.

Model	201FD	201R
Capacity	21.0 cu. ft.	20.0 cu. ft.
Dimensions	Height 73"	Height 73"
	Width 36"	Width 36"
	Depth 24"	Depth 24"
Shelf Area*	19.57 sq. ft.	23.81 sq. ft.
Roughing-In Dimensions	35½" x 72¾"	35½" x 72¾"
Energy Consumption	129KWH/mo. 89KWH/mo.	
Weight (lbs.)	363 crated	325 crated

*Additional shelves available at extra cost.



NOTE: Roughing-in width is 71½" when these models are installed side by side. If mullion is used to separate cabinets, add mullion width to 71½" dimension. Filler must be used when installed hinge to hinge.

One 115 volt, 60 cycle single phase, 15 amp. A.C. wall outlet for each unit, must be provided.

Refer to "Installation Instruction" booklet for detailed installation requirements.



Model 251



Model 251



Over-n-under

Models 211, 251, 241, 2811 & 2711

For those who prefer, Sub-Zero offers a convenient arrangement with freezer on the bottom. This design was prompted by the fact that the refrigerator section is used more often than the freezer, thereby providing the greatest convenience and best accessibility. The refrigerated top half offers full width storage on adjustable shelves while frozen foods below are easily accessible with a pull-out basket.

These over-n-under units are available in 30" and 36" widths with depths of 24" to fit flush with your kitchen cabinets. The model 251 (22 cubic feet) with its smaller freezer, makes it ideal for homes that have additional bulk freezer storage. Model 241 (22 cubic feet) offers a larger freezer section, combined with a large capacity refrigerator section on top.



Pull-out freezer drawer

with slide-out ice bucket available on new over-n-under models 2811 and 2711. Detailed information available upon request.

For those kitchen designs requiring a smaller refrigerator, our model 211 (18 cubic feet) is a perfect fit. Its over-n-under refrigerator and freezer provide ample capacity in only a 30" width.

Models 211, 251 and 241 have a balanced system — one control raises or lowers temperatures in freezer and refrigerator simultaneously.

New from Sub-Zero are the models 2811 and 2711 featuring pull-out freezer drawer and ice maker. Their two compressor system allows independent temperature control of the freezer as well as the refrigerator. Detailed information on these innovative models is available upon request.

These true built-in over-n-under units have all the standard Sub-Zero features — see pages 8-9.




251

COMBINATION REFRIGERATOR-FREEZER
Model 251
 Automatic defrost models. Freezer compartment equipped with automatic ice maker.

Capacity	16.3 cu. ft. Refrigerator 5.7 cu. ft. Freezer
Dimensions	Height 84" Width 36" Depth 24"
Shelf Area*	21.6 sq. ft. Refrigerator 6.0 sq. ft. Freezer
Roughing-In Dimensions	35½" x 83¼"
Energy Consumption	146KWH/mo.
Weight (lbs.)	426 crated

*Additional shelves available at extra cost.



One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.


Refer to "Installation Instruction" booklet for detailed installation requirements.



Model 3211



Model 3211



Side-by-side Models 361, 3211

For those who prefer, the Sub-Zero side-by-side line offers an excellent example of classic styling and simplicity of design. Many people prefer the full top-to-bottom storage in both freezer and refrigerator. Frozen foods and ice storage are within easy reach and each




3211

COMBINATION REFRIGERATOR-FREEZER Model 3211 — Automatic defrost model. Equipped with automatic ice maker.

Capacity	18.7 cu. ft. Refrigerator 11.8 cu. ft. Freezer
Dimensions	Height 84" Width 48" Depth 24"
Shelf Area*	22.9 sq. ft. Refrigerator 10.1 sq. ft. Freezer
Roughing-in Dimensions	47½" x 83¾"
Energy Consumption	193KWH/mo.
Weight (lbs.)	532 crated

*Additional shelves available at extra cost.



One 115 volt, 60 cycle,
single phase 15 amp.
A.C. wall outlet must be
provided.

Refer to "Installation
Instruction" booklet
for detailed installation
requirements.




Model 211



(Traditional handle shown)

Model 251




One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.

Refer to "Installation Instruction" booklet for detailed installation requirements.

COMBINATION REFRIGERATOR-FREEZER
Model 211 — Automatic defrost model. Freezer compartment equipped with automatic ice maker.

Capacity	11.4 cu. ft. Refrigerator 6.6 cu. ft. Freezer
Dimensions	Height 84" Width 30" Depth 24"
Shelf Area*	16.0 sq. ft. Refrigerator 6.8 sq. ft. Freezer
Roughing-in Dimensions	29 1/2" x 83 3/4"
Energy Consumption	131 KWH/mo.
Weight (lbs.)	375 crated

*Additional shelves available at extra cost.



211



One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.

Refer to "Installation Instruction" booklet for detailed installation requirements.

COMBINATION REFRIGERATOR-FREEZER
Model 241 — Automatic defrost models. Freezer compartment equipped with automatic ice maker.

Capacity	13.7 cu. ft. Refrigerator 8.5 cu. ft. Freezer
Dimensions	Height 84" Width 36" Depth 24"
Shelf Area*	19.2 sq. ft. Refrigerator 8.1 sq. ft. Freezer
Roughing-in Dimensions	35 1/2" x 83 3/4"
Energy Consumption	148 KWH/mo.
Weight (lbs.)	420 crated

*Additional shelves available at extra cost.



241



Model 361



Model 3211


unit has a convenient slide-out basket at the bottom of the freezer section.

The Model 3211 refrigerator/freezer provides 30.5 cubic feet of food storage. The model 361, in a width of only 36", provides 22 cubic feet of refrigerator and freezer storage.

Like all Sub-Zero units, the 361 and the 3211 are 24"

deep, allowing for true built-in elegance and the shallow depth of the shelves provides easier food accessibility.

Adjustable shelves in the refrigerator compartments accommodate a larger variety of foods with plenty of room for large items. Both units have all the Sub-Zero features—see pages 8-9.



One 115 volt, 60 cycle, single phase 15 amp. A.C. wall outlet must be provided.

Refer to "Installation Instruction" booklet for detailed installation requirements.

22 cubic ft.

COMBINATION REFRIGERATOR-FREEZER
Model 361 — Automatic defrost model.
 Freezer compartment equipped with automatic ice maker.

Capacity 12.8 cu. ft. Refrigerator
 9.2 cu. ft. Freezer

Dimensions Height 84"
 Width 36"
 Depth 24"


Shelf Area* 15.2 sq. ft. Refrigerator
 7.3 sq. ft. Freezer

Roughing-in Dimensions 35 1/2" x 83 3/4"

Energy Consumption 148KWH/mo.

Weight (lbs.) 450 crated

*Additional shelves available at extra cost.



361



Models 201R and 201FD




Model 361

Note: Refer to "Installation Instruction" booklet for detailed installation requirements.

SUB-ZERO

Features of full-size built-in units

1. **Convenient Storage**—All Sub-Zero units are 24" in depth to conform to kitchen base cabinet units. This not only improves appearance of finished installation but provides more accessible storage on interior shelves.
2. **Five-Year Warranty Plan**—Covers all parts and labor to repair compressor, condenser, evaporator, drier and all connecting tubing for five years from date of installation and a one-year warranty covering all parts and labor, on the *entire* unit, from date of installation. (Does not include installation.)
3. **Automatic Defrosting**—Automatically eliminates frost accumulation in both refrigerator and freezer sections.



4. **Automatic Ice Maker**—Makes and stores crescent-shaped ice pieces.

Features of the SUB-ZERO model 201RIM

This unique 24" depth all refrigerator is a true built-in which enables it to fit flush with all standard base cabinets. Its 20 cu. ft. capacity makes it the largest built-in home all refrigerator on the market. The exterior is designed to accept front and side panels to complement any decor. And, the elegance of Sub-Zero built-in refrigeration is a fashionable addition to the most exquisite home.

Other features are:

Automatic Ice Maker
makes crescent shaped ice cubes as you need them

Ice Storage—
huge capacity, crisper look-alike

Vari-temp Meat Storage—
regulated temperature control

Spacious Crisper
Automatic Defrost

Self-venting—
eliminates over heating

Five Year Compressor Warranty—
covering all parts and labor

Magnetic Door Gasket—
assures positive seal

Adjustable Door Shelves—
flexible storage for all size bottles

Removable/Adjustable Shelves—
cantilever type— easy cleaning

Right or Left Swing Doors
Portable Egg Containers

Interior—
beautiful champagne gold and wood grain color
scheme—chip resistant Duracron® baked enamel
on aluminum surface

Door Handles—
both contemporary and traditional styles

Toe Space—
4" high by 3" deep to conform with base cabinets


Specifications Model 201RIM Automatic defrost all refrigerator

Electrical hook-up: 115 volt, 60 cycle single phase,
15 amp., A.C. wall outlet must be provided, no
higher than 6" from floor level and to right of
vertical center line.

Due to our continuous improvement program,
models and specifications are subject to change
without notice.



SUB-ZERO FREEZER CO., INC.
P.O. Box 4130
Madison, Wisconsin 53711
608/271-2233



A. Icemaker




B. Vegetables



C. Ice Storage



D. Meat Keeper




Capacity	Dimensions	Shelf Area*
20.0 cu. ft.	Height 73" Width 36" Depth 24"	23.81 sq. ft.
Rough-in Dimensions	Energy Consumption	Weight (lbs.)
35 1/2" x 72 3/4"	88 KWH/mo.	325 crated

*Additional shelves available at extra cost

Sub-Zero also features a complete line of built-in home refrigeration. Choose from side-by-side, over-&-under (freezer on bottom), all refrigerator, all freezer and under counter models. Every unit is factory tested for total performance.



Features of the SUB-ZERO Model 2011 ICE



This unique 24" depth all refrigerator is a true built-in which enables it to fit flush with all standard base cabinets. Its 19.5 cu. ft. capacity makes it the largest built-in home all refrigerator with ice maker. The exterior is designed to accept front and side panels to complement any decor. And, the elegance of Sub-Zero built-in refrigeration is a fashionable addition to the most exquisite home.

Other features are:

Automatic Ice Maker—makes crescent shaped ice cubes as you need them

Ice Storage—concealed

Two Compressors

Spacious Crispers

Automatic Defrost

Self-venting—eliminates overheating

Five Year Compressor Warranty—covering all parts and labor

Magnetic Door Gasket—assures positive seal

Adjustable Door Shelves—flexible storage for all size bottles

Removable/Adjustable Shelves—cantilever type—easy cleaning


Right or Left Swing Doors

Portable Egg Containers

Interior—beautiful champagne gold and wood grain color scheme—chip resistant Duracron® baked enamel on aluminum surface


Door Handles—both contemporary and traditional styles available

Toe Space—4" high by 3" deep to conform with base cabinets



A. Ice Maker
Ice Storage

B. Vegetables
C. Meat



Specifications Model 2011 ICE Automatic Defrost All Refrigerator

Capacity 19.5 cu ft.
Dimensions Height 73" Width 36" Depth 24"
Two Compressors
Rough-in Dimensions 35 1/2" x 72-3/4"
Energy Consumption 116 KWH/mo.
Weight (lbs.) 393 crated

Electrical hook-up: 115 volt, 60 cycle single phase, 15 amp., A.C. wall outlet must be provided, no higher than 6" from floor level and to right of vertical center line.

Due to our continuous improvement program, models and specifications are subject to change without notice.


Sub-Zero also features a complete line of built-in home refrigeration. Choose from side-by-side, over-&-under (freezer on bottom), all refrigerator, all freezer and under counter models. Every unit is factory tested for total performance.

Refer to "Installation Instruction" guide for detailed installation requirements.

SUB-ZERO FREEZER CO., INC.
P.O. Box 4130
Madison, Wisconsin 53711
608/271-2233



Features of the SUB-ZERO Model 2711



This unique 24" depth refrigerator is a true built-in which enables it to fit flush with standard base cabinets. The exterior is designed to accept front and side panels to complement any decor. And, the elegance of Sub-Zero built-in refrigeration is a fashionable addition to the most exquisite home.

Other features are:

Pull-out Two Tier Freezer Drawer — Convenient storage.

Automatic Ice Maker — Makes crescent shaped ice cubes as you need them.

Ice Storage — Slide-out bucket.

Two Compressors — Independent temperature control.

Top Pull Freezer Handle — Easy access to freezer.

Spacious Crispers

Automatic Defrost

Self-venting — Eliminates overheating.

Five Year Warranty Plan — Covers all parts and labor to repair compressor, condenser, evaporator, drier and all connecting tubing for five years from date of installation and a one-year warranty covering all parts and labor, on entire unit, from date of installation. (Does not include installation.)

Magnetic Door Gasket — Assures positive seal.

Adjustable Door Shelves — Flexible storage for all size bottles.

Removable/Adjustable Shelves — Cantilever type—easy cleaning.


Right or Left Swing Doors — Available from factory.

Portable Egg Containers

Interior — Beautiful champagne gold and wood grain color scheme — chip resistant baked-on enamel.

Refrigerator Door Handles — Both contemporary and traditional styles available.


Toe Space — 4" high by 3" deep to conform with base cabinets.



Two Tier Freezer Baskets & Ice Bucket

Specifications Model 2711 Automatic Defrost Refrigerator/Freezer

Capacity: Freezer 8.9 cu. ft. Refrigerator 13.7 cu. ft
Dimensions: Height 84" Width 36", Depth 24"
Two Compressors
Finished Rough-in Dimensions: 35½" x 83¾"
Energy Consumption: 155 KWH/mo.
Weight: 459 lbs. crated



One 115 volt, 60 cycle single phase, 15 amp. wall outlet for each unit must be provided.

Refer to "Installation Instruction" guide for detailed installation requirements.


Routing or recessing raised panels may be required for finger clearance under handles.

Due to our continuous improvement program, models and specifications are subject to change without notice.

Sub-Zero also features a complete line of built-in home refrigeration. Choose from side-by-side, over-&-under (freezer on bottom), all refrigerator, all freezer and under counter models. Every unit is factory tested for total performance.

SUB-ZERO FREEZER CO., INC.
P.O. Box 4130
Madison, Wisconsin 53711
608/271-2233

Unique features of the new SUB-ZERO model 2811.



This unique 24" depth refrigerator is a true built-in which enables it to fit flush with all standard base cabinets. The exterior is designed to accept front and side panels to complement any decor. And, the elegance of Sub-Zero built-in refrigeration is a fashionable addition to the most exquisite home.

Other features are:

Pull-out Single Tier Freezer Drawer with Flip-up Basket for Small Packages—convenient storage

Automatic Ice Maker— makes crescent-shaped ice cubes as you need them

Ice Storage— slide-out bucket

Two Compressors— independent temperature control

Top Mount Freezer Handle— easy freezer access

Spacious Crispers

Automatic Defrost

Self-venting— eliminates overheating

Five Year Compressor Warranty— covering all parts and labor

Magnetic Door Gasket— assures positive seal

Adjustable Door Shelves— flexible storage for all size bottles

Removable/Adjustable Shelves— cantilever type, easy cleaning


Right or Left Swing Doors

Portable Egg Containers


Interior— beautiful champagne gold and wood grain color scheme, chip resistant baked enamel on aluminum surface

Refrigerator Door Handles— both contemporary and traditional styles available

Toe Space— 4" high by 3" deep to conform with base cabinets



Freezer Baskets & Ice Bucket



Specifications

Model 2811

Automatic Defrost Refrigerator

Routing or recessing raised panels may be required to allow access to freezer and refrigerator door handles.

Electrical hook-up: 115 volt, 60 cycle single phase, 15 amp., A.C. wall outlet must be provided.

Due to our continuous improvement program, models and specifications are subject to change without notice.

Sub-Zero also features a complete line of built-in home refrigeration. Choose from side-by-side, over-&-under (freezer on bottom), all refrigerator, all freezer and under counter models. Every unit is factory tested for total performance.

Capacity: Freezer 6.1 cu. ft. Refrigerator 16.3 cu. ft.	Dimensions: Height 84" Width 36" Depth 24"
Two Compressors	Rough-in Dimensions: 35 1/2" x 83 3/4"
Energy Consumption: 146 KWH/mo.	Weight: 440 lbs. crated

Refer to "Installation Instruction" guide for detailed installation requirements.




SUB-ZERO FREEZER CO., INC.

P.O. Box 4130
Madison, Wisconsin 53711
608/271-2233

Features cont'd.


5. Accepts Removable Decorative Door Panels—Front panels of any material, not exceeding $\frac{1}{4}$ " in thickness, are easily installed. Raised panels may also be used when perimeter edge does not exceed $\frac{1}{4}$ " (routing is recommended for finger clearance). Only colored steel panels are available from the factory.

6. Half or Full Length Side Panels—Unit is made to accept side panels if sides are exposed. Only colored steel panels are available from the factory.



NOTE—Door shelving can be adjusted to accommodate large platters stored on unit shelving.

9. Deluxe Crispers—Spacious and convenient, easy-glide crispers are furnished in all refrigerators with nylon roller design, providing ease of movement and self-sealing gaskets to assure food freshness.



10. Portable Egg containers—Two provided with every full-size refrigerator, each holding eight eggs. They may be stacked or used separately for space-saving convenience and may be carried to the table or preparation area.

11. Magnetic Door Gasket—Surrounds entire door with a pull that assures a positive seal.

NOTE—Because of a perfect seal, allow a slight delay before reopening door.

12. Right or Left Door Swing—Available, when specified, on all over-n-under and single door units (all side-by-side units are hinged on outside).

13. Pull-Out Basket—Metal storage basket at bottom of all freezers.

14. Butter and Utility Compartments—Conveniently located in refrigerator door.

15. Two Separate Refrigeration Systems—Available on refrigerator/freezer combination, models 3211, 2811 and 2711. Each is equipped with two cooling condensers for maximum refrigeration efficiency, temperature uniformity and independent temperature control.

16. Interiors—Refrigerator interior is a beautiful champagne gold and wood grain color scheme—chip resistant baked enamel on aluminum surface. Freezer interior is specially treated steel with attractive, easy-to-keep-clean baked-on-enamel.

17. Toe Space Base—Integral part of cabinet. Inset is 4" high by 3" deep—meeting specifications of American Institute of Architects and conforming with most bases of kitchen cabinets.

18. Door Handles—(Standard as shown in photographs throughout this literature). Traditional-style handles available in black, white or unfinished. (Cannot be installed on side-by-side models.)

7. All Models are Front-Vented—Allows for true built-in installation.

8. Removable and Adjustable Shelves—Throughout entire unit, including door shelves. Easily removed for cleaning; provide convenient and flexible storage for all size bottles and food.




In the installation pictured above, a 1" filler was used because the refrigerator door opens into a doorway.

Model 211

19. Colored Panels—Decorator front and side steel panels are available from Sub-Zero in the following colors: Harvest Gold, Almond, Avocado, Coffee, Stainless Steel, White and prime coat.

20. Grilles—Available grille sizes range from 10" to 15" in 1" increments.

IMPORTANT: For proper operation and use, the door must open a full 90°. A 2" filler should be used in corner installations to assure a 90° door opening. Remember to allow enough clearance in front of unit for full door swing.



DECORATOR TRADITIONAL HANDLES

Traditional wood handles for all full-size units except side-by-side models are available in factory-finished white, black or unfinished in cherry, oak or walnut so they may be finished to match your decor. Just another of the little but important things that give Sub-Zero that personalized and elegant advantage over other refrigeration.

Undercounter models


Sub-Zero undercounter refrigerators, freezers, combinations and ice makers are ideal for the bar, den, family room, yacht or office. They are designed to be installed under a counter. However, some may also be used as free-standing units.

All under-counter models are self-venting, have foamed-in-place insulation, have durable ABS easy to clean interiors and accept front door panels of practically any material to harmonize with cabinets or other equipment. They also have right or left door swings which are interchangeable in the field (kit required). All of these features and more are backed by Sub-Zero's Five-Year Warranty Plan which covers all parts and all labor the first year on the entire unit and a full five-years on all parts and labor on the sealed system (installation excluded).

The Sub-Zero combination models 245 and 801 provide refrigerator storage, freezer storage and automatic ice making capability.

Sub-Zero also offers "all-refrigerator" and "all-freezer" undercounter units. The model 249RP "all-refrigerator" features automatic defrost, door storage and adjustable compartment shelving. Our model 249FF "all-freezer" features automatic defrost, adjustable compartment shelving and can be equipped with an automatic ice maker.

A unit for those who desire primarily refrigerator storage with some freezer storage is the model 249R. This unit is a manual defrost, with a small full-width freezer, door storage and adjustable compartment shelving.



Model 249R

We also offer built-in ice makers for those who entertain in style. Requirements for clear ice can be satisfied with the model 505IS, which provides an abundance of crystal-clear cubes in a unit that requires only an 18" width. Featuring a drop-down hopper-type door, this unit stores up to 35 pounds of cubes. *This unit requires a drain or sump pump.*

Undercounter Model	249R	249RP	249FF	245	505IS	801
Capacity	4.9 cu. ft. Refrigerator .7 cu. ft. Freezer	5.60 cu. ft. Refrigerator	5.0 cu. ft. Freezer	3.2 cu. ft. Refrigerator 1.8 cu. ft. Freezer	Stores 35 lbs. of ice	3.0 cu. ft. Refrigerator 3.0 cu. ft. Freezer
Unit Dimensions (Levelers in) (H x W x D in inches)	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	33 ¹³ / ₁₆ x 23 ⁷ / ₈ x 24	34 x 23 ⁷ / ₈ x 24	34 ¹³ / ₃₂ x 17 ⁷ / ₈ x 23 ¹³ / ₁₆	33 ⁵ / ₈ x 36 x 23 ⁷ / ₈
Energy Consumption	37KWH/mo.	44KWH/mo.	67KWH/mo.	61KWH/mo.	No standards	116KWH/mo.
Weight (lbs.)	120 crated	117 crated	135 crated	139 crated	126 crated	265 crated

Note: Refer to "Installation Instruction" booklet for detailed water, electrical and other installation requirements.



249R



249RP




249FF
(ICEMAKER OPTIONAL)



245



505IS



801

SUB-ZERO

Installation specifications


Following are the installation specifications for all Sub-Zero full-size and undercounter models. The dimensions shown in the chart correlate with the schematic drawing. For further details refer to the **Installation Instruction Booklet**.



Woodgrille not available from Sub Zero.

Model 3211

Schematic drawing



Model No.	Finished Rough Opening Dimensions			Recommended Electrical Outlet Location	Water Supply Location	Door Panel Dimensions (width x height)
	A	B	C			
201R	35 1/2"	72 3/4"	18"	3 1/2"		34 1/8" x 58 15/16"
2011 ICE	35 1/2"	72 3/4"	18"	3 1/2"	9"	34 1/8" x 58 15/16"
201FD	35 1/2"	72 3/4"	18"	3 1/2"	18"	34 1/8" x 58 15/16"
211	29 1/2"	83 3/4"	15"	79"	15"	28 7/8" x 41 7/8" & 28 7/8" x 25 7/8"
241	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 41 7/8" & 34 1/8" x 25 7/8"
2711	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 41 7/8" & 34 1/8" x 25 7/8"
251	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 48 7/8" & 34 1/8" x 18 7/8"
2811	35 1/2"	83 3/4"	18"	79"	18"	34 1/8" x 48 7/8" & 34 1/8" x 18 7/8"
361	35 1/2"	83 3/4"	18"	79"	18"	14 5/8" x 67 1/4" & 19 1/8" x 67 1/4"
3211	47 1/2"	83 3/4"	24"	79"	24"	17 15/16" x 67 1/4" & 27 1/16" x 67 1/4"
801	35 1/2"	34 1/2"	18"	3 1/2"	18"	16 7/8" x 22 7/8" (both)
215R	35 1/2"	69 1/2"	18"	14"		—
215FD	35 1/2"	69 1/2"	18"	14"	18"	—
245	24"	34 1/2"	5 1/2"	4 1/2"	12"	23 1/2" x 28 1/8"
249R	24"	34 1/2"	12"	14"		23 5/8" x 30"
249RP	24"	34 1/2"	12"	14"		23 5/8" x 30"
249FF	24"	34 1/2"	5"	14"	18"	23 5/8" x 30"
221M	12"	34 1/2"	6"	6"	6"	11 9/16" x 30"
505IS	18"	34 1/2"	6"	6"	11"	17 1/32" x 12 31/32"

*NOTE: Water line may come directly thru wall, not higher than 1/2" from floor.

21/4

23 3/4 x 30



Model 3211

How to buy

Sub-Zero home refrigeration can be seen and purchased at top custom kitchen dealers and appliance stores in all major cities across the United States and many Canadian cities. If not available in your area, feel free to contact Sub-Zero direct for the dealer nearest you. (Write or call 608-271-2233.)

Service

There are hundreds of authorized service centers throughout the country to provide warranty service and perform other service functions. These centers maintain a stock of Sub-Zero approved parts and a staff of qualified repair technicians. The service center nearest you may be found in the yellow pages or by contacting the dealer you purchased the unit from. If service cannot be found, contact Sub-Zero direct: Wisconsin, Hawaii, Canada residents 608-271-2233/other residents 800-356-5826.

SUB-ZERO

SUB-ZERO FREEZER CO., INC.

Post Office Box 4130
Madison, Wisconsin 53711
608/271-2233

Model 241 (Middle), 201R & 201FD (Bottom)